

MODEL

LYRA Pro 55" TT-5523QA

LYRA Pro 65" TT-6523QA

LYRA Pro 75" TT-7523QA

LYRA Pro 86" TT-8623QA

LYRA Pro 98" TT-9823QA

PANEL

• Backlight	Direct LED (Wide Color Gamut + Anti Blue Light)
• Glass Surface	Anti-Glare + Anti-Fingerprint + Antimicrobial Tempered Glass
• Bonding Technology	Certified Zero Bonding
• Display Area	55": 1211 x 682 mm 65": 1428 x 803 mm 75": 1650 x 928 mm 86": 1895 x 1066 mm 98": 2161 x 1216 mm
• Display Ratio	16:9
• Resolution	3840 x 2160 (4K)
• Colours	1,07 Billion
• Brightness	55": 450 cd/m ² 65": 450 cd/m ² 75": 450 cd/m ² 86": 450 cd/m ² 98": 450 cd/m ²
• Contrast Ratio	5000:1
• Response Time	5 ms
• Viewing Angle	178°

• Display Life Time	≥ 50 000 hours
• Transparency	> 88%
• Haze	2 % ~ 5 %
• Touch Surface Hardness	7 H

POWER CONSUMPTION

• Standard mode	55": 98 W 65": 106 W 75": 119 W 86": 126 W 98": 189 W
• Standby mode*	<0,5W

TOUCH

• Touch Technology	Stellar Touch Technology
• Touch Points	50 Windows 20 Android/MAC/Linux
• Touch Screen Writing Tools	Passive pen, Finger, Fist
• Number of stylus	2
• Accuracy	±1 mm
• Real Palm Rejection	✓

SPEAKER

• Speaker Position	Front Facing
• Speaker Rated Impedance	6 Ω
• Speaker Max.Power Output	20 W x 2

FRONT I/O

• USB Type-C (Powered 65 W)	1
• HDMI IN 2.1 with HDCP 2.2	1
• USB Type-B (Touch)	1
• USB 3.2 Type-A	2
• Microphone In	1

REAR I/O

• HDMI IN 2.1 with HDCP 2.2 (4k @60 Hz)	2
• DisplayPort 1.2	1
• USB Type-B 3.2 (Touch)	3
• USB Type-C (Powered 15 W)	1
• USB Type-A 3.2	2
• USB 3.2 Type-A to Android	1
• HDMI OUT 2.0 (4k @60 Hz)	1
• RS232	1
• RJ45 (Gigabit)	In x 1 / Out x 1
• OPS Slot	1
• SDM-S Slot	1
• SPDIF	1
• Audio Line Out (Jack 3,5 mm)	1
• Power Out Connect (180 W)	1

SMART SYSTEM

• SoC Chipset GPU	Amlogic A311D2 octa-core processor 4 x Cortex-A73 at 2,2 GHz, 4 x Cortex-A53 at 2,0 GHz Arm Mali-G52
• RAM	8 GB DDR4
• Total Storage	128 GB (Expandable)
• Operating System	Android 14 Certified
• Google EDLA	✓
• Formats Support For Image	JPG, JPEG, BMP, PNG
• Formats Support For Video	MPEG1, MPEG2, MPEG4, SorensonH.263, H.263, H.264, MVC, AVS, AVS+, WMV3, VC1, Motion JPEG, VP8, VP9, RV30/ RV40
• Formats Support For Audio	MPEG1/2ER1; @LAYER2; @LAYER3, EAC3, ACC-LC, HEAAC, VORBIS, LPCM, IMA-ADPCM, MS-ADPCM, G711 A/MU-LAW, LBR (COOK), FLAC
• Camera slot	1
• Wi-Fi 6+ Bluetooth 5.2 Module	Integrated (Replaceable)

EXTRA FIRMWARE FEATURES

• Multiuser profile	✓
• Embedded Google Apps	✓

DIMENSIONS / WEIGHT

Outline Dimensions* (Excl. wall mount)	55": 1294 x 808 x 101 mm 65": 1513 x 927 x 118 mm 75": 1735 x 1051 x 119 mm 86": 1982 x 1191 x 119 mm 98": 2258 x 1345 x 122 mm
Net Weight*	55": 31,5 Kg 65": 39 Kg 75": 52 Kg 86": 65 Kg 98": 108 Kg
VESA*	55": 400 x 400 mm 65": 600 x 400 mm 75": 800 x 400 mm 86": 800 x 400 mm 98": 800 x 600 mm